



**ఆంధ్రప్రదేశ్ రాజ పత్రము**  
**THE ANDHRA PRADESH GAZETTE**  
**PUBLISHED BY AUTHORITY**

W.No.49

AMARAVATI, TUESDAY, DECEMBER 13, 2022

G.2254

**PART I - NOTIFICATIONS BY GOVERNMENT, HEADS OF DEPARTMENTS  
AND OTHER OFFICERS**

--X--

**NOTIFICATIONS BY GOVERNMENT**

**ENVIRONMENT, FORESTS, SCIENCE & TECHNOLOGY  
DEPARTMENT**

**(Section.II)**

FOREST RESERVATION - NANDYALA DISTRICT - KURNOOL DIVISION & RANGE -  
DECLARATION - GANI EXTN.II FOREST BLOCK TO AN EXTENT OF 8.24 Ha  
OR 20.37 Acres OF COMPENSATORY AFFORESTATION IN Sy.Nos.1827, 1828-1,  
1828-2, 1829-1 & 1830 OF PANYAM VILLAGE OF PANYAM MANDAL IN  
NANDYALA DISTRICT AS PROTECTED FOREST UNDER SECTION 24 OF  
THE ANDHRA PRADESH FOREST ACT, 1967 (ACT No.1 OF 1967).

*[G.O.Ms.No.85, Environment, Forests, Science & Technology (Section.II), 9<sup>th</sup> December, 2022.]*

**NOTIFICATION**

In exercise of the powers conferred by sub-section (1) of section 24 of the Andhra Pradesh Forest Act, 1967 (Act No.1 of 1967), the Government of Andhra Pradesh hereby declare, that the forest land described in the schedule below (delineated in the map kept in the office of the Principal Chief Conservator of Forests, AP, Guntur) to be a "Protected Forest" under the said Act with effect from the date of publication of this notification in the Andhra Pradesh Gazette.

**SCHEDULE**

Name of the District	:	Nandyala
Name of the Division	:	Kurnool
Name of the Range	:	Kurnool
Name of the Mandal	:	Panyam
Name of the Villages	:	Panyam
Name of the Block proposed to be Protected Forest	:	Gani Extn.-II
Area of the Forest Block proposed to be Protected Forest	:	8.24 Ha. (or) 20.37 Ac.

**DETAILS OF AREAS INCLUDED IN THE FOREST BLOCK**

Sl. No.	Name of the Village	Sy. No.	Classification of the land	Total extent (in Ac.)	Area included in the Block (Ac. Cents)
(1)	(2)	(3)	(4)	(5)	(6)
1	Panyam	1827	Patta	3.36	2.50
2	Panyam	1828-1	Patta	10.68	6.28
3	Panyam	1828-2	Patta	2.56	2.22
4	Panyam	1829-1	Patta	12.54	8.51
5	Panyam	1830	Patta	0.91	0.86
			<b>TOTAL</b>	<b>30.05</b>	<b>20.37 Ac (or) 08.24 Ha.</b>

**BOUNDARIES**

**NORTH:** Starting from Station No. 01, which is located at Latitude of 15.60194 and Longitude of 78.29783 runs upto Station No. 06 which is located at Latitude 15.60009 and Longitude 78.29985 as per Magnetic bearings and distances and DGPS co-ordinates are as detailed below.

Compass survey			DGPS co-ordinates			Remarks
Station No.	Magnetic	Distance	Station	Latitude	Longitude	

From	To	bearings in	in meters	No.			
1	2	133°	80	1	15.60194	78.29783	Along the boundaries of Sy.Nos.1830 & 1829-1 (Part-Cart Track) of Panyam Village.
2	3	133°	18	2	15.60145	78.29838	
3	4	134°	81	3	15.60135	78.29850	
4	5	134°	80	4	15.60084	78.29904	
5	6	134°	40	5	15.60034	78.29958	
				6	15.60009	78.29985	

**EAST:** Starting from Station No.06, which is located at Latitude of 15.60009002 and Longitude of 78.29985107 runs upto Station No. 28 which is located at Latitude 15.59735036 and Longitude 78.29886179 as per Magnetic bearings and distances and DGPS co-ordinates are as detailed below:

Compass survey				DGPS co ordinates			Remarks
Station No.		Magnetic bearings in degrees	Distance in meters	Station No.	Latitude	Longitude	
From	To						
06	07	197°	27	6	15.60009	78.29985	Along the boundary of Sy.No.1829-2 (Part) of Panyam Village.
07	08	304°	80	7	15.59986	78.29977	Along the boundary of Sy.No.1829-1 (Part) of Panyam Village.
08	09	304°	80	8	15.60026	78.29915	
09	10	305°	46	9	15.60066	78.29853	
10	11	216°	35	10	15.60089	78.29818	
11	12	122°	81	11	15.60064	78.29799	
12	13	122°	83	12	15.60026	78.29863	
13	14	126°	53	13	15.59986	78.29928	
14	15	197°	58	14	15.59958	78.29968	Along the boundary of Sy.No.1829-2 (Part) of Panyam Village.
15	16	306°	64	15	15.59909	78.29952	Along the boundary of Sy.No.1829-1 (Part) of Panyam Village.
16	17	304°	80	16	15.59942	78.29903	
17	18	306°	15	17	15.59983	78.29842	
18	19	211°	49	18	15.59991	78.29831	
19	20	211°	48	19	15.59953	78.29808	
20	21	118°	20	20	15.59916	78.29785	
21	22	123°	70	21	15.59907	78.29801	
22	23	33°	46	22	15.59873	78.29855	
23	24	34°	42	23	15.59907	78.29879	
24	25	125°	65	24	15.59939	78.29901	Along the boundary of Sy.No.1829-2 (Part) of Panyam Village.
25	26	198°	72	25	15.59905	78.29950	

Compass survey				DGPS co ordinates			Remarks
Station No.		Magnetic bearings in degrees	Distance in meters	Station No.	Latitude	Longitude	
From	To						
26	27	200°	102	26	15.59843	78.29930	Along the boundary of Sy.No.1826 of Panyam Village.
27	28	207°	27	27	15.59757	78.29898	Along the boundary of Compartment No. 108 of Gani RF.
				28	15.59735	78.29886	

**SOUTH:** Starting from Station No. 28, which is located at Latitude of 15.59735 and Longitude 78.29886 runs upto Station No. 34 which is located at Latitude 15.59890 and Longitude 78.29684 as per Magnetic bearings and distances and DGPS co-ordinates are as detailed below:

Compass survey				DGPS co ordinates			Remarks
Station No.		Magnetic bearings in degrees	Distance in meters	Station No.	Latitude	Longitude	
From	To						
28	29	300°	90	28	15.59735	78.29886	Along the boundary of Sy.No.1827 (Part) of Panyam Village.
29	30	300°	72	29	15.59775	78.29813	Along the boundary of Sy.No.1828-2 (Part) of Panyam Village.
30	31	336°	03	30	15.59808	78.29755	
31	32	310°	75	31	15.59810	78.29754	Along the boundary of Compartment No. 108 of Gani RF.
32	33	19°	23	32	15.59853	78.29700	
33	34	308°	32	33	15.59873	78.29707	
				34	15.59890	78.29684	

**WEST:** Starting from Station No. 34, which is located at Latitude of 15.59890 and Longitude 78.29684 runs upto Station No. 42 which is located at Latitude 15.60165 and Longitude 78.29762 and then runs upto stations No. 01, the starting point which is located at Latitude of 15.60194 and Longitude of 78.29783 as per Magnetic bearings and distances and DGPS co-ordinates are as detailed below:

Compass survey				DGPS co ordinates			Remarks
Station No.		Magnetic bearings in degrees	Distance in meters	Station No.	Latitude	Longitude	
From	To						
34	35	30°	39	34	15.59890	78.29684	Along the boundary of Sy.No.1828-1 (Part) of Panyam Village.
35	36	26°	38	35	15.59920	78.29702	
36	37	34°	77	36	15.59951	78.29717	
37	38	289°	88	37	15.60008	78.29757	
38	39	23°	04	38	15.60034	78.29679	

39	40	60°	33	39	15.60037	78.29681	Along the boundary of Sy.No.1828-1 (Part-Cart Track) of Panyam Village.
40	41	02°	60	40	15.60052	78.29708	
41	42	40°	87	41	15.60106	78.29709	Along the boundaries of Sy.Nos.1828-1 & 1830 (Parts-Cart Track) of Panyam Village.
42	01	35°	39	42	15.60165	78.29762	
				01	15.60194	78.29783	

### REMARKS

1) There are no enclosures to be admitted within the Block.

2) No right of way/right of water course are admitted in the block:

3) In exercise of Powers conferred by the Sub-Section (1) of Section 24 of the Andhra Pradesh Forest Act, 1967 (Act-I of 1967), the Government of Andhra Pradesh hereby declare that all kinds of trees and all classes of trees in the said "**Gani Extension-II**" Protected Forest to be reserved from the date of publication of this notification in Andhra Pradesh Gazette and District Gazette.

4) And prohibits, except in accordance with the rules made down under this Act, from the date of aforesaid the quarrying, or the burning of line, or charcoal or the collection of subjection of any manufacturing process or removal of any forest produce in the said "**Gani Extension-II**" Protected Forest and the breaking up or clearing for cultivation for building, for handing cattle or for any other purpose of the said "**Gani Extension-II**" Protected Forest.

**NEERABH KUMAR PRASAD,**  
*Special Chief Secretary to Government.*

## ప్రకటన

ఆంధ్రప్రదేశ్ ప్రభుత్వము అటవీ శాఖవారి అటవీ చట్టము 1967 (1967లోని మొదటి చట్టం) లోని 24 వ విభాగం ద్వారా లభించిన అధికారాలను పురస్కరించుకొని, ఆంధ్రప్రదేశ్ ప్రభుత్వం ఈ క్రింది సూచికలో వివరించిన అటవీ భూమిని (ఆంధ్రప్రదేశ్ అటవీ ప్రధాన సంరక్షనాధికారి, గుంటూరు వారి కార్యాలయంలో ఉంచిన మ్యాపులో వర్ణించబడినది). ఈ ప్రకటనను ఆంధ్రప్రదేశ్ గెజిట్ లో ప్రచురించిన తేది నుండి రక్షిత అడవిగా ఇందుమూలముగా ప్రకటిస్తున్నారు.

## షెడ్యూలు

జిల్లా పేరు	:	నంద్యాల
అటవీ డివిజన్ పేరు	:	కర్నూలు
అటవీ రేంజి పేరు	:	కర్నూలు
రెవిన్యూ మండలం పేరు	:	పాణ్యం
గ్రామము పేరు	:	పాణ్యం
రక్షిత అడవిగా ప్రతిపాదించిన బ్లాకు పేరు	:	గని ఎక్స్‌ప్లొరేషన్ -II
రక్షిత అడవిగా ప్రతిపాదించిన బ్లాకు విస్తీర్ణం	:	8.24 హెక్టేరులు లేదా ఎ 20.37 సెంట్లు

## బ్లాకు నందు పొందు పరచబడిన ప్రదేశముల వివరములు

వరుస సంఖ్య.	గ్రామము	సర్వే నెంబరు	రెవిన్యూ వర్గీకరణ	మొత్తం విస్తీర్ణం (ఎకరాలలో)	బ్లాకు నందు పొందు పరచబడిన విస్తీర్ణం (ఎకరాలలో)
1	2	3	4	5	6
1	పాణ్యం	1827	పట్టా	3.36	2.50
2	పాణ్యం	1828-1	పట్టా	10.68	6.28
3	పాణ్యం	1828-2	పట్టా	2.56	2.22
4	పాణ్యం	1829-1	పట్టా	12.54	8.51
5	పాణ్యం	1830	పట్టా	0.91	0.86
			మొత్తం	ఎ 30.05 సెంట్లు	ఎ 20.37 సెంట్లు (లేదా) 8.24 హెక్టేరులు



### సరిహద్దులు

**ఉత్తరం:** లేటిట్ట్యూడ్ 15.60194 మరియు లాంగి ట్యూడ్ 78.29783 వద్ద వున్న స్టేషన్ నెం. 01 ప్రయాణించి లేటిట్ట్యూడ్ 15.60009 మరియు లాంగి ట్యూడ్ 78.29985 వద్ద వున్న స్టేషన్ నెం. 06 వరకు ఈ క్రింది మాగ్నెటిక్ బేరింగులు మరియు దూరముల మరియు డి. జి.పి.యస్. రీడింగులు ననుసరించి వెళ్ళును

కాంపాస్ సర్వే				డి. జి.పి.యస్. రీడింగులు			రిమార్కులు
స్టేషన్ నెం.		మాగ్నెటిక్ బేరింగులు డిగ్రీలలో	దూరం మీటర్లలో	స్టేషన్ నెం.	లేటిట్యూడ్ (డిగ్రీలలో)	లాంగి ట్యూడ్ (డిగ్రీలలో)	
నుండి	వరకు						
1	2	133°	80	1	15.60194	78.29783	పాణ్యం గ్రామం సర్వే నెంబర్ల 1830 మరియు 1829-1, భాగముల (బండి దారి) బొండ్లరి వెంబడి వెళ్ళును.
2	3	133°	18	2	15.60145	78.29838	
3	4	134°	81	3	15.60135	78.29850	
4	5	134°	80	4	15.60084	78.29904	
5	6	134°	40	5	15.60034	78.29958	
				6	15.60009	78.29985	

**తూర్పు:** లేటిట్ట్యూడ్ 15.60009 మరియు లాంగి ట్యూడ్ 78.29985 వద్ద వున్న స్టేషన్ నెం. 06 ప్రయాణించి లేటిట్ట్యూడ్ 15.59735 మరియు లాంగి ట్యూడ్ 78.29886 వద్ద వున్న స్టేషన్ నెం 28 వరకు ఈ క్రింది మాగ్నెటిక్ బేరింగులు మరియు దూరముల మరియు డి. జి.పి.యస్. రీడింగులు ననుసరించి వెళ్ళును.

కాంపాస్ సర్వే				డి. జి.పి.యస్. రీడింగులు			రిమార్కులు
స్టేషన్ నెం.		మాగ్నెటిక్ బేరింగులు డిగ్రీలలో	దూరం మీటర్లలో	స్టేషన్ నెం.	లేటిట్యూడ్ (డిగ్రీలలో)	లాంగి ట్యూడ్ (డిగ్రీలలో)	
నుండి	వరకు						
06	07	197°	27	6	15.60009	78.29985	పాణ్యం గ్రామం సర్వే నెంబరు 1829-2, బొండ్లరి వెంబడి వెళ్ళును.
07	08	304°	80	7	15.59986	78.29977	పాణ్యం గ్రామం సర్వే నెంబరు 1829-1, బొండ్లరి వెంబడి వెళ్ళును.
08	09	304°	80	8	15.60026	78.29915	
09	10	305°	46	9	15.60066	78.29853	
10	11	216°	35	10	15.60089	78.29818	
11	12	122°	81	11	15.60064	78.29799	
12	13	122°	83	12	15.60026	78.29863	
13	14	126°	53	13	15.59986	78.29928	
14	15	197°	58	14	15.59958	78.29968	పాణ్యం గ్రామం సర్వే నెంబరు 1829-2, బొండ్లరి వెంబడి వెళ్ళును.
15	16	306°	64	15	15.59909	78.29952	పాణ్యం గ్రామం సర్వే నెంబరు 1829-1, బొండ్లరి వెంబడి వెళ్ళును.
16	17	304°	80	16	15.59942	78.29903	
17	18	306°	15	17	15.59983	78.29842	
18	19	211°	49	18	15.59991	78.29831	

కాంపాస్ సర్వే				డి. జి.పి.యస్. రీడింగులు			రిమార్కులు
స్టేషన్ నెం.		మాగ్నెటిక్ బేరింగులు డిగ్రీలలో	దూరం మీటర్లలో	స్టేషన్ నెం.	లేటిట్యూడ్ (డిగ్రీలలో)	లాంగి ట్యూడ్ (డిగ్రీలలో)	
నంబర్	వరకు						
19	20	211°	48	19	15.59953	78.29808	పాణ్యం గ్రామం సర్వే నెంబరు 1829-1, బొండరీ వెంబడి వెళ్ళును.
20	21	118°	20	20	15.59916	78.29785	
21	22	123°	70	21	15.59907	78.29801	
22	23	33°	46	22	15.59873	78.29855	
23	24	34°	42	23	15.59907	78.29879	
24	25	125°	65	24	15.59939	78.29901	
25	26	198°	72	25	15.59905	78.29950	పాణ్యం గ్రామం సర్వే నెంబరు 1829-2, బొండరీ వెంబడి వెళ్ళును.
26	27	200°	102	26	15.59843	78.29930	పాణ్యం గ్రామం సర్వే నెంబరు 1826, బొండరీ వెంబడి వెళ్ళును.
27	28	207°	27	27	15.59757	78.29898	గని రిజర్వు అడవి లోని కంపార్టుమెంట్ నెంబర్ 108 యొక్క బొండరీ వెంబడి వెళ్ళును.
				28	15.59735	78.29886	

దశీణము : లేటిట్యూడ్ 15.59735 మరియు లాంగి ట్యూడ్ 78.29886 వద్ద వున్న స్టేషన్ నెం. 28 ప్రయాణించి లేటిట్యూడ్ 15.59890 మరియు లాంగి ట్యూడ్ 78.29684 వద్ద వున్న స్టేషన్ నెం 34 వరకు ఈ క్రింది మాగ్నెటిక్ బేరింగులు మరియు దూరముల మరియు డి. జి.పి.యస్. రీడింగులు ననుసరించి వెళ్ళును.

కాంపాస్ సర్వే				డి. జి.పి.యస్. రీడింగులు			రిమార్కులు
స్టేషన్ నెం.		మాగ్నెటిక్ బేరింగులు డిగ్రీలలో	దూరం మీటర్లలో	స్టేషన్ నెం.	లేటిట్యూడ్ (డిగ్రీలలో)	లాంగి ట్యూడ్ (డిగ్రీలలో)	
నంబర్	వరకు						
28	29	300°	90	28	15.59735	78.29886	పాణ్యం గ్రామం సర్వే నెంబరు 1827, బొండరీ వెంబడి వెళ్ళును.
29	30	300°	72	29	15.59775	78.29813	పాణ్యం గ్రామం సర్వే నెంబరు 1828-2, బొండరీ వెంబడి వెళ్ళును.
30	31	336°	03	30	15.59808	78.29755	
31	32	310°	75	31	15.59810	78.29754	గని రిజర్వు అడవి లోని కంపార్టుమెంట్ నెంబర్ 108 యొక్క బొండరీ వెంబడి వెళ్ళును.
32	33	19°	23	32	15.59853	78.29700	
33	34	308°	32	33	15.59873	78.29707	
				34	15.59890	78.29684	



పడమర : లేటిట్ట్యుడ్ 15.59890 మరియు లాంగిట్ట్యుడ్ 78.29684 వద్ద వున్న స్టేషన్ నెం. 34 ప్రయాణించి లేటిట్ట్యుడ్ 15.60165 మరియు లాంగిట్ట్యుడ్ 78.29762 వద్ద వున్న స్టేషన్ నెం. 42 వరకు మరియు లేటిట్ట్యుడ్ 15.60194 మరియు లాంగిట్ట్యుడ్ 78.29783 వద్ద వున్న స్టేషన్ నెం. 01 అనగా ప్రారంభస్థానం నకు ఈ క్రింది మాగ్నెటిక్ బేరింగులు మరియు దూరముల మరియు డి.జి.పి.యస్. రీడింగులు ననుసరించి వెళ్ళును.

కాంపాస్ సర్వే				డి. జి.పి.యస్. రీడింగులు			రిమార్కులు
స్టేషన్ నెం.		మాగ్నెటిక్ బేరింగులు డిగ్రీలలో	దూరం మీటర్లలో	స్టేషన్ నెం.	లేటిట్యూడ్ (డిగ్రీలలో)	లాంగి ట్యూడ్ (డిగ్రీలలో)	
నుండి	వరకు						
34	35	30°	39	34	15.59890	78.29684	పాణ్యం గ్రామం సర్వే నెంబరు 1828-1, బొండరీ వెంబడి వెళ్ళును.
35	36	26°	38	35	15.59920	78.29702	
36	37	34°	77	36	15.59951	78.29717	
37	38	289°	88	37	15.60008	78.29757	
38	39	23°	04	38	15.60034	78.29679	
39	40	60°	33	39	15.60037	78.29681	పాణ్యం గ్రామం సర్వే నెంబరు 1828-1, భాగము (బండి దారి) బొండరీ వెంబడి వెళ్ళును.
40	41	02°	60	40	15.60052	78.29708	
41	42	40°	87	41	15.60106	78.29709	పాణ్యం గ్రామం సర్వే నెంబర్ 1828-1 మరియు 1830, భాగముల (బండి దారి), బొండరీ వెంబడి వెళ్ళును మరియు ప్రారంభ స్థానమయిన స్టేషన్ నెం 01 ని చేరును.
42	01	35°	39	42	15.60165	78.29762	
				01	15.60194	78.29783	

## రిమార్కులు

- 1) అనుమతింప బడిన రైట్ ఆఫ్ వే (రహదారులు/బాటలు) లేవు.
- 2) ప్రవేశము మరియు నీటి వినియోగపు హక్కు ఈ బ్లాకు నందు అనుమతించబడలేదు.
- 3) అటవీ చట్టము- 1967 (1967లోని మొదటి చట్టం) లోని 24వ విభాగం, మొదటి సబ్ విభాగం ద్వారా సంక్రమించిన అధికారాలను పురస్కరించుకుని ప్రతిపాదిత “గని ఎక్స్‌ప్లోరేషన్ -II” రక్షిత అడవి నుండి అన్ని రకముల మరియు జాతుల చెట్లను, ఈ ప్రకటనను ఆంధ్ర ప్రదేశ్ గజెట్ లో ప్రచురించిన తేది నుండి రక్షిత అడవిగా ప్రకటిస్తున్నారు.
- 4) మరియు రాళ్ళు క్వారీ చేయడం, సున్నం లేదా బొగ్గు కాలడం లేదా తయారీ పద్ధతులకు సంబంధించిన ట్రేకింగ్ గాని, క్లీయర్ చేయడం గాని, కట్టడాలు గాని, పశువులు మేపుట గాని మరియు ఏ ఇతర పనులు గాని, సదరు చట్టం లోని నియమాల ప్రకారం తప్ప, “గని ఎక్స్‌ప్లోరేషన్ -II” రక్షిత అడవి నందు ఇందుమూలముగా నిషేధించడమయినది.

---X---